

| YARRA YARRA PLANT STALL - AUTUMN 2026 - by Species | GROWER |
|---|---------------|
| Acacia acinacea | CF,YG |
| Acacia affin verniciflua | MW |
| Acacia amoena | MW |
| Acacia aphylla | CF |
| Acacia baileyana, prostrate | MF |
| Acacia beckleri - Barrier Range Wattle | MW,ND |
| Acacia binervia | YG |
| Acacia cardiophylla | MF |
| Acacia colletioides | MW |
| Acacia declinata | YG |
| Acacia enterocarpa | MW |
| Acacia farinosa | CF |
| Acacia filifolia | ND |
| Acacia glaucoptera | CF |
| Acacia guinetii | CF |
| Acacia heteroclita | MW |
| Acacia imbricata | MW |
| Acacia jibberdingensis | MW |
| Acacia lasiocalyx | MW |
| Acacia leiocarpa var sedifolia | MW |
| Acacia maxwellii | ND |
| Acacia merinthophora | CF |
| Acacia phlebopetala | MW |
| Acacia rossei | MW |
| Acacia sessilispica | MW |
| Acacia trigonophylla | MW |
| Acacia verniciflua | YG |
| Acacia vestita | MF |
| Acacia viscifolia | MW |
| Acacia williamsonii | CF |
| Actinotus helianthii | CF |
| Adiantum aethiopicum - common native maidenhair | FA |
| Adiantum formosanum - black stem maidenhair | FA |
| Adiantum hispidulum - rough maidenhair | FA |
| Adiantum hispidulum whiteii – weeping rough maidenhair | FA |
| Ajuga australis | CF |
| Alyogyne huegelii - purple | YG |
| Ammobium alatum | CF |
| Asplenium aethiopicum - shredded spleenwort | FA |
| Asplenium australasicum crested - crested birdsnest fern | FA |
| Asplenium australasicum x 2 - birdsnest fern | FA |
| Asplenium bulbiferum - hen and chicken fern | FA |
| Asplenium flabellifolium - necklace fern | FA |
| Asterolasia asteriscopora | MW,CF |
| Asterolasia hexapetala | MW |
| Atriplex nummularia | MF |
| Austromyrtus dulcis | MW,CF.MF |
| Backhousia citriodora | MF |
| Banksia marginata | CF |
| Banksia oblongifolia | CF |
| Banksia robur | CF |
| Banksia serrata | CF |
| Bauera sessiliflora | MF |

Yarra Yarra Plant Stall Autumn 2026 v.10 - Species

| | |
|--|----------|
| Billardiera varifolia | CF |
| Blechnum nudum - native fishbone fern | FA |
| Blechnum penna-marina - alpine water fern | FA |
| Blechnum wattsi - hardwater fern | FA |
| Blechnum wattsi x minus - native hybrid hardwater/softwater fern | FA |
| Boronia denticulata | MF |
| Bossiaea aquifolium | CF |
| Bossiaea cordigera | CF |
| Bossiaea ensata | MW |
| Bossiaea linifolia | MW |
| Brachyscome angustifolia | MW |
| Brachyscome microcarpa | MW |
| Brachyscome piliga posy | CF |
| Callistemon citrinus 'Endeavour' | MF |
| Callistemon quercinus 'InJune' | MF |
| Callistemon subulatus | MF |
| Calocephalus brownii | CF |
| Calocephalus lacteus (Lemon beauty heads) | CF,YG |
| Calostemma luteum | CF |
| Calothamnus hirsutus | CF |
| Calothamnus quadrifidus (dwarf form) | MF |
| Calothamnus quadrifidus (red) | YG |
| Calytrix tetragona | YG |
| Calytrix tetragona Narrow form | ND |
| Calytrix tetragona pink | MW |
| Carpobrotus rossii | CF |
| Chamelaucium ciliatum | ND |
| Chamelaucium erythrochlorum | MW |
| Chamelaucium 'Paddy's Pink' uncinatum x Verticordia | MF |
| Chamelaucium uncinatum, purple | YG |
| Chorilaena quercifolia, red form | MF |
| Chorizema cordatum | CF, MF |
| Chorizema ilicifolia | CF |
| Chorizema rhombeum | CF |
| Chorizema varium | MW |
| Chrysocephalum apiculatum | CF |
| Chrysocephalum ramosissimum | CF |
| Convolvus erubescens | CF |
| Coronidium rutidolepis | CF |
| Correa alba | MW,CF,YG |
| Correa alba var pannosa - pink | YG |
| Correa baeuerlenii | MW,MF |
| Correa decumbens | YG |
| Correa Dusky bells | CF |
| Correa Federation bells | CF |
| Correa glabra 'Barossa Gold' | MF |
| Correa glabra var. glabra 'Inglewood Gold' | MF |
| Correa glabra - white form | ND |
| Correa 'Gwen's Blush' - alba x reflexa | MF |
| Correa Jingle Bells | MW |
| Correa lawrenceana | MW,YG |
| Correa mannii | MF |
| Correa Marian's Marvel | ND |
| Correa Marion's Baby | MW |
| Correa Pink Mist | ND |

| | |
|--|-------|
| <i>Correa pulchella</i> - orange | YG |
| <i>Correa pulchella</i> - red | YG |
| <i>Correa pulchella</i> Coralie | MW,MF |
| <i>Correa pulchella</i> - deep pink | MW |
| <i>Correa pulchella</i> - pink | MW,CF |
| <i>Correa pulchella</i> - Yorke Peninsula | MW |
| <i>Correa reflexa</i> | YG |
| <i>Correa reflexa</i> 360 | MW |
| <i>Correa reflexa</i> 'Marian's Marvel' | YG |
| <i>Correa reflexa</i> 'Prolific' | MF |
| <i>Correa reflexa</i> var. <i>reflexa</i> 'Neil's Best' | MF |
| <i>Correa</i> Skye Bells | ND |
| <i>Crowea</i> 'Cooper's Classic' <i>exalata</i> x <i>saligna</i> | MF |
| <i>Crowea exalata</i> 'Festival' | MF |
| <i>Crowea exalata</i> x <i>saligna</i> | CF |
| <i>Crowea</i> 'Poorinda Ecstasy' | MF |
| <i>Crowea saligna</i> | MF |
| <i>Culcita dubia</i> - rainbow fern | FA |
| <i>Cyathea brownii</i> - Lord Howe Island tree fern | FA |
| <i>Cyathea cooperii</i> - NSW scaly tree fern | FA |
| <i>Dampiera altissima</i> | MW |
| <i>Dampiera diversifolia</i> | MW,CF |
| <i>Dampiera dysantha</i> | CF |
| <i>Dampiera purpurea</i> | CF |
| <i>Dampiera rosmarinifolia</i> | CF |
| <i>Darwinia citriodora</i> | MF |
| <i>Dennstaedtia devalloides</i> - lacy ground fern | FA |
| <i>Diplolaena latifolium</i> | CF |
| <i>Dodonaea subglandulifera</i> | MW |
| <i>Doodia australis</i> - rasp fern | FA |
| <i>Doodia media</i> - common rasp fern | FA |
| <i>Elaeocarpus reticulatus</i> | YG |
| <i>Epacris brevifolia</i> 'Drumstick Heath' | MF |
| <i>Epacris calvertiana</i> var. <i>versicolor</i> | MF |
| <i>Epacris impressa</i> - pink Common Heath | MF |
| <i>Epacris impressa</i> - white 'Goldfields White' | MF |
| <i>Epacris impressa</i> 'Double White' | MF |
| <i>Epacris lanuginosa</i> 'Woolly style Heath' | MF |
| <i>Epacris longiflora</i> x <i>reclinata</i> 'Pan Pipes' | MF |
| <i>Epacris mucronulata</i> | MF |
| <i>Epacris paludosa</i> 'Swamp Heath' | MF |
| <i>Epacris petrophila</i> 'Snow Heath' | MF |
| <i>Eremophila alternifolia</i> x <i>maculata</i> | MW |
| <i>Eremophila biserrata</i> | CF |
| <i>Eremophila calorabdos</i> | MW |
| <i>Eremophila calorhabdos</i> x <i>denticulata</i> | ND |
| <i>Eremophila debilis</i> | MW,YG |
| <i>Eremophila decipiens</i> | CF,YG |
| <i>Eremophila decipiens</i> subsp <i>decipiens</i> | MW |
| <i>Eremophila decipiens</i> subsp <i>linearifolia</i> | MW |
| <i>Eremophila denticulata</i> | MW,MF |
| <i>Eremophila drummondii</i> - Hyden form | MW |
| <i>Eremophila drummondii</i> Kalgoorlie | CF |
| <i>Eremophila drummondii</i> x <i>nivea</i> | CF |
| <i>Eremophila gibbifolia</i> | MW,CF |

Yarra Yarra Plant Stall Autumn 2026 v.10 - Species

| | |
|--|----------|
| Eremophila glabra - yellow | YG |
| Eremophila glabra 'Amber Carpet' | MF |
| Eremophila glabra 'Bellala Gold' | MF |
| Eremophila glabra Bev Rice - Silver Ball | MW,ND |
| Eremophila glabra 'Kalbarri Carpet' | MF |
| Eremophila glabra - Red form | ND |
| Eremophila hamulata | MW |
| Eremophila lehmanniana | ND |
| Eremophila maculata | MW |
| Eremophila maculata Aurea | MW |
| Eremophila maculata Magenta | ND |
| Eremophila maculata - Orange / Yellow | ND |
| Eremophila maculata Winter Gold | ND |
| Eremophila maculata - hybrid 'Silver' | MF |
| Eremophila nivea | ND,YG |
| Eremophila phillipsii | MW |
| Eremophila subangustifolia | MW |
| Eremophila subteretifolia | MW |
| Eremophila succinia | MW |
| Eremophila weldii | MW,ND |
| Eucalyptus astringens | MW |
| Eucalyptus kruseana | CF |
| Eucalyptus platypus subsp platypus | MW |
| Eucalyptus preissiana | CF,YG |
| Eucalyptus pulverulenta | CF,MF |
| Eucalyptus synandra | CF |
| Eucalyptus websteriana | CF |
| Eucalyptus woodwardii | MW |
| Eutaxia epacridoides | MW,MF |
| Eutaxia microphylla | MW |
| Eutaxia myrtifolia | MW |
| Ferns - small | CK |
| Gastrolobium celsianum | CF,MF,YG |
| Gastrolobium minus | CF |
| Gastrolobium sericeum | MW |
| Gompholobium aristatum | CF |
| Gompholobium cyaninum | CF |
| Gompholobium knightianum | CF |
| Goodenia benthamiana | CF |
| Goodenia gracilis | CF |
| Goodenia humilis | CF |
| Goodenia ovata - prostrate form | MF |
| Goodenia pusilla | CF |
| Goodenia rotundifolia | CF |
| Goodenia varia | MW |
| Goodenia vernicosa | MF |
| Goodia lotifolia | MF |
| Graptophyllum ilicifolium | YG |
| Grevillea alpina | CF |
| Grevillea buxifolia | CF |
| Grevillea dimorpha | CF |
| Grevillea endlicheriana | CF |
| Grevillea flexuosa | MW |
| Grevillea gariwerdensis | MF |
| Grevillea gold fever | CF |

| | |
|--|-------|
| Grevillea iaspicula | MF |
| Grevillea jephcottii | MF |
| Grevillea lanigera Mt Tamboritha | CF |
| Grevillea latrobei x alpina | CF |
| Grevillea nudiflora | MW |
| Grevillea oleiodes | CF |
| Grevillea rhyolitica | CF |
| Grevillea rhyolitica 'Deua Flame' | MF |
| Grevillea Royal Mantle | CF |
| Grevillea semperflorens | YG |
| Grevillea thelemanniana 'Mini Marvel' | MF |
| Guichenotia ledifolia | MF,MW |
| Hakea 'Burrendong Beauty' - myrtoides x petiolaris | MF |
| Hakea clavata | MF |
| Hakea francisiana | MF |
| Hakea laurina | MF |
| Hakea multilineata | MF |
| Hakea nodosa | CF,MF |
| Hakea petiolaris | YG |
| Halgania cyanea | MW |
| Halgania preissiana | CF |
| Hardenbergia bushy pink | CF |
| Hardenbergia comptoniana - white | YG |
| Hardenbergia violacea - pink | YG |
| Hemiandra pungens - white and mauve | CF |
| Hibbertia dentata | MW |
| Hibbertia empetrifolia | CF |
| Hibbertia grossulariifolia | CF |
| Hibbertia grossulariifolia - prostrate form | MF |
| Hibbertia microphylla | MW |
| Hibbertia obtusa | CF |
| Hibbertia pendunculata | CF |
| Hibbertia scandens | AM |
| Hibbertia stellaris | CF |
| Hibbertia vestita | MF |
| Hibiscus sp Barambah Creek - pink flowers | AM |
| Hovea elliptica | CF |
| Hovea longifolia | MW |
| Hymenosporum flavum - Native Frangipani | MF |
| Hypocalymma angustifolium | MW,MF |
| Hypocalymma cordifolium | MF |
| Hypocalymma linifolium | CF |
| Hypolepis punctata - downy ground fern | FA |
| Indigofera australis | MF |
| Isopogon formosus | MF |
| Ixodia achillaeoides - dwarf | ND |
| Kennedia beckxiana | MW,MF |
| Kennedia carinata | CF |
| Kennedia eximia | CF |
| Kennedia microphylla | MW,CF |
| Kennedia prostrata | CF |
| Kunzea affinis | MW |
| Kunzea baxteri | YG |
| Kunzea jucunda | MW |
| Lambertia formosa | CF |

| | |
|---|----------|
| <i>Lasiopetalum floribundum</i> | MW |
| <i>Lasiopetalum macrophyllum</i> | MW,ND,MF |
| <i>Lasiopetalum micranthum</i> | MF |
| <i>Lasiopetalum schultzenii</i> | MW |
| <i>Lechenaultia biloba</i> | CF |
| <i>Leptospermum brachyandrum</i> (now <i>Aggregiflorum brachyandrum</i>) | MF |
| <i>Leptospermum</i> 'Jervis Bay' | MF |
| <i>Leptospermum petersonii</i> - lemon scented teatree | YG |
| <i>Lysiosepalum abollutum</i> | CF |
| <i>Melaleuca conothamnoides</i> | YG |
| <i>Melaleuca decussata</i> | MF,YG |
| <i>Melaleuca diosmifolia</i> | YG |
| <i>Melaleuca fulgens</i> Hot pink | MW |
| <i>Melaleuca fulgens</i> , red | MF |
| <i>Melaleuca leptospermoides</i> | YG |
| <i>Melaleuca lutea</i> | MF |
| <i>Melaleuca nesophila</i> 'Little Nessie' | MF |
| <i>Melaleuca scoparium</i> | YG |
| <i>Microcachry tetragona</i> | YG |
| <i>Micromyrtus ciliata</i> | MF |
| <i>Microsorium diversifolia</i> - kangaroo fern | FA |
| <i>Mirbelia dilatata</i> | CF |
| <i>Mirbelia oxyloboides</i> | MW |
| <i>Myoporum bateae</i> | MF |
| <i>Myoporum floribundum</i> | CF |
| <i>Myoporum parvifolium</i> - fine leaf form | MF,YG |
| <i>Myoporum parvifolium</i> - purpurea form | MF |
| <i>Myoporum parvifolium</i> - small leaf pink form | MF |
| <i>Myoporum parvifolium</i> - white and pink | CF |
| <i>Nothofagus cunninghamii</i> | MF |
| <i>Olearia floribunda</i> - pink | CF |
| <i>Olearia homolepis</i> | MW,CF |
| <i>Olearia phlogopappa</i> | MW |
| <i>Olearia phlogopappa</i> - purple form | MF |
| <i>Olearia phlogopappa</i> - pink | CF |
| <i>Olearia teretifolia</i> | MF |
| Orchid bark | CK |
| Orchid potting mix | CK |
| Orchids - Australian epiphytic | CK |
| <i>Orthrosanthus multiflorus</i> | CF |
| <i>Pandorea jasminoides</i> - pink | MF |
| <i>Pandorea Lady Di</i> - white | MF |
| <i>Patersonia fragilis</i> | CF |
| <i>Patersonia occidentalis</i> - white and purple | CF |
| <i>Patersonia sericea</i> | CF |
| <i>Pelargonium rodneyanum</i> | CF |
| <i>Pelargonium striatellum</i> | CF |
| <i>Pellaea falcata</i> - nana - dwarf sickle fern | FA |
| <i>Pellaea falcata</i> - sickle fern | FA |
| <i>Phebalium squamulosum</i> ssp <i>argenteum</i> | MW,MF |
| <i>Phebalium woombye</i> | MF |
| <i>Philothea salsolifolia</i> | MW |
| <i>Philothea verrucosa</i> | MW |
| <i>Phymatocarpus maxwellii</i> | MW |
| <i>Pimelea nivea</i> | MW |

| | |
|---|----------|
| Platysace deflexa | MW |
| Poa sieberiana | CF |
| Polystichum proliferum - mothershield fern | FA |
| Pomaderris aurea | CF |
| Pratia pendunculata | CF |
| Prostanthera nivea ssp induta | MW |
| Prostanthera arapilensis | MF |
| Prostanthera aspalathoides - several color forms | MF |
| Prostanthera baxteri | CF |
| Prostanthera baxteri ssp. sericea | YG |
| Prostanthera calycina | MW,MF |
| Prostanthera cineolifera | MF |
| Prostanthera crocodyloides | ND,CF,MF |
| Prostanthera cryptandroides | MW |
| Prostanthera cryptandroides subsp. cryptandroides | MF |
| Prostanthera cuneata - low form | MF |
| Prostanthera denticulata | MF |
| Prostanthera florifera | MW,MF |
| Prostanthera gilesii | MF |
| Prostanthera granitica | YG |
| Prostanthera grylloana | MW,ND |
| Prostanthera incana | MF |
| Prostanthera incana - pink & purple forms | MF |
| Prostanthera incisa | CF |
| Prostanthera incisa - pink & purple forms | MF |
| Prostanthera incisa pink | MW |
| Prostanthera lanceolata | MF |
| Prostanthera lasianthos | CF |
| Prostanthera lasianthos - Bald Mountain form | MF |
| Prostanthera lasianthos 'Kallista Pink' | MF |
| Prostanthera lasianthos var. subcoriacea - Grampians form | MF |
| Prostanthera magnifica | MF |
| Prostanthera 'Mauve Mantle' | MF |
| Prostanthera melissifolia - pink & purple forms | MF |
| Prostanthera nivea var. nivea - white form | MF |
| Prostanthera ovalifolia var. purpurea | MF |
| Prostanthera ovalifolia var. variegata | MF |
| Prostanthera petraea | MF |
| Prostanthera 'Poorinda Ballerina' | MF |
| Prostanthera rotundifolia | YG |
| Prostanthera rotundifolia - purple form | MF |
| Prostanthera rotundifolia 'Mini Pink' - pink form | MF |
| Prostanthera saxicola var major | MW,MF |
| Prostanthera serpyllifolia - fine leaf form | MW |
| Prostanthera staurophylla | MF |
| Prostanthera stenophylla - purple form | MF |
| Prostanthera striatiflora | MW,MF |
| Prostanthera teretifolia | MW |
| Prostanthera teretifolia - white form | MF |
| Prostanthera violacea | MW |
| Prostanthera walteri | MW,MF |
| Prostanthera williamsii - Wollomombi Gorge form | MF |
| Pseuderanthemum variable | YG |
| Pteris tremula - tender brake | FA |
| Pteris umbrosa - jungle brake | FA |

| | |
|---|----------|
| <i>Ptilotus drummondii</i> | MW |
| <i>Ptilotus manglesii</i> | MW |
| <i>Ptilotus obovatus</i> | MF |
| <i>Pultenaea euchila</i> | MW |
| <i>Pultenaea pendunculata</i> | CF |
| <i>Pultenaea villosa</i> - prostrate | MW |
| <i>Pycnosorus globosus</i> | MF |
| <i>Pyrossia confluens</i> - horse shoe fern | FA |
| <i>Quoya dilitata</i> | MW |
| <i>Regelia ciliata</i> | MW |
| <i>Regelia inops</i> | MW |
| <i>Regelia megacephala</i> | YG |
| <i>Rhodanthe anthemoides</i> - double | CF |
| <i>Ricinocarpos pinifolius</i> | MF |
| <i>Rumhora adiantiformis</i> - leather fern | FA |
| <i>Scaevola aemula</i> - white | MF,YG |
| <i>Scaevola humilis</i> - white and mauve | CF |
| <i>Scaevola Mauve Clusters</i> | MW,CF |
| <i>Scaevola nitida</i> | MW |
| <i>Senna artemisioides</i> ssp <i>artemisioides</i> | YG |
| <i>Senna artemisioides</i> | MF |
| <i>Spyridium obcordatum</i> | CF |
| <i>Spyridium parvifolium</i> | CF |
| <i>Spyridium phyllicoides</i> | CF |
| <i>Stylidium</i> 'Palgarup Trigger' | MF |
| <i>Swainsona galegifolia</i> | MW |
| <i>Templetonia retusa</i> | MW,CF,MF |
| <i>Templetonia retusa</i> - red/orange | YG |
| <i>Tetratheca ciliosa</i> | CF |
| <i>Tetratheca thymifolia</i> | CF |
| <i>Thelionema caespitosum</i> | CF |
| <i>Thelionema umbellatum</i> | CF |
| <i>Themida triandra</i> blue form | CF |
| <i>Thomasia angustifolia</i> | MW,CF |
| <i>Thomasia brachystachys</i> | MW |
| <i>Thomasia cognata</i> | MW |
| <i>Thomasia foliosa</i> | MF |
| <i>Thomasia grandiflora</i> - fine leaf form | MF |
| <i>Thomasia pauciflora</i> - pink fls | MW |
| <i>Thomasia pauciflora</i> - white fls | MW |
| <i>Thomasia petalocalyx</i> | MW |
| <i>Thomasia purpurea</i> x <i>solanacea</i> | MW,MF |
| <i>Thomasia solanacea</i> | MW,MF |
| <i>Thomasia tryphylla</i> | MW |
| <i>Thryptomene saxicola</i> | MF |
| <i>Todea barbara</i> - king fern | FA |
| <i>Tristaniopsis laurina</i> | MF |
| <i>Veronica arenaria</i> | CF |
| <i>Veronica decorata</i> | CF |
| <i>Veronica Monty's Blue</i> | MW |
| <i>Veronica nivea</i> | MF |
| <i>Veronica perfoliata</i> | ND |
| <i>Veronica perfoliata</i> - white | CF,MF |
| <i>Verticordia monadelpha</i> - White Form | AM |
| <i>Verticordia nitens</i> - Christmas Morrison | AM |

Yarra Yarra Plant Stall Autumn 2026 v.10 - Species

| | |
|---|----------|
| Verticordia plumosa | ND,CF,MF |
| Wahlenbergia gloriosa | CF |
| Wahlenbergia gloriosa - double | CF |
| Wahlenbergia granitica | CF |
| Wahlenbergia saxicola | CF |
| Westringia 'Blue Moon' | MF |
| Westringia brevifolia var. raleighii 'Lilac & Lace' - variegated form | MF |
| Westringia dampieri | MF |
| Westringia eremicola - purple form | MF |
| Westringia fruticosa - deep mauve | CF |
| Westringia glabra var. raleighii - Grampians form | MF |
| Westringia longifolia | MW |
| Westringia longifolia - white form | MF |
| Westringia 'Poorinda Parvane' | MF |
| Westringia sp. - Dangar Falls | MF |
| Westringia viminalis | MF |
| Westringia 'Wynyabbie Gem' | MF |
| Xerochrysum Dargan Hill Monarch | CF |
| Xerochrysum viscosum - cream and yellow | CF |
| Zieria littoralis | MF |
| NB Some Epacris, Prostanthera & Westringia species are available in large 200mm pots from MF but may not all be brought to sale unless pre-ordered through Miriam on 0409 600 644 | |
| YY Stall - Grower abbreviations: AM= Andrew M, CF= Chris Fletcher, CK= Chris K, FA= FernAcres, MF= Miriam F, MW= Mike W, ND= Neil D, YG= Yarra Yarra Growers | |